L Number	Hits	Search Text	DB	Time stamp
2	165	@ad<19990201 and (tunnel$4 and encrypt$3) and authenticat$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 14:56
3	115	(@ad<19990201 and (tunnel$4 and encrypt$3) and authenticat$3) and (713/$.ccls. 709/$.ccls. 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 15:02
4	16	(@ad<19990201 and (tunnel$4 and encrypt$3) and authenticat$3) and (705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 15:00
5	12	((@ad<19990201 and (tunnel$4 and encrypt$3) and authenticat$3) and (713/$.ccls. 709/$.ccls. 705/$.ccls.)) and (((smart IC) adj card) ((hardware cryptographic) adj token))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 15:06
7	6	@ad<19990201 and (((smart IC) adj card) ((hardware cryptographic) adj token)) and (tunnel$4) and (POS EFT) and (terminal kiosk atm)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 15:07
6	10	@ad<19990201 and (((smart IC) adj card) ((hardware cryptographic) adj token)) and (tunnel$4) and (POS EFT)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 15:07
-	1190	@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:56
-	15	@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication)) same (user near authenticat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:33
-	203	(@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication)))) and (card smartcard ((portable hardware) near token))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:34
-	116	@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication))) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:52
-	4	(@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication)) same (user near authenticat$3))) and (card smartcard ((portable hardware) near token))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:50
-	13	@ad<19990201 and (authenticat$3 near (terminal "ATM" kiosk) near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:35
-	1466	@ad<19990201 and ((terminal "ATM" kiosk) and authenticat$3 and server and ((smart adj card) token card ("IC" adj card)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:57
-	252	@ad<19990201 and ((terminal "ATM" kiosk) same authenticat$3 same server and ((smart adj card) token card ("IC" adj card)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:57

C:\APPS\EAST\Workspaces\09_496065_personal_device_server_methods_for_establishing_trustworthy_conn

–	97	@ad<19990201 and ((terminal "ATM" kiosk) same authenticat$3 same server same ((smart adj card) token card ("IC" adj card)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:57
–	97	@ad<19990201 and (((terminal "ATM" kiosk) same authenticat$3 same server same ((smart adj card) token card ("IC" adj card))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:58
–	*scanned abstracts* (62)	@ad<19990201 and (((terminal "ATM" kiosk) same authenticat$3 same server same ((smart adj card) token card ("IC" adj card)))) same user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 16:12
–	*scanned abstracts* 54	@ad<19990201 and (terminal near2 secure near2 first)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 16:13
–	(6)	@ad<19990201 and (terminal near2 authenticat$3 near2 first) and (user near2 authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 06:46
–	(38)	@ad<19990201 and (fake near2 (terminal device kiosk atm))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 07:21
–	(10)	@ad<19990201 and (fake near2 (terminal device kiosk atm)) and authenticat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:00
–	54883	@ad<19990201 and (terminal device kiosk atm) and ((dynamic$5 custom$7 (one adj time) unique different exclusive unrepeated singular) near2 (output$4 messag$3 prompt$3 instruct$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:06
–	240	@ad<19990201 and (terminal device kiosk atm) and ((dynamic$5 custom$7 (one adj time) unique different exclusive unrepeated singular) near2 (output$4 messag$3 prompt$3 instruct$3) same authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:07
–	106	@ad<19990201 and (computer terminal device kiosk atm) same ((dynamic$5 custom$7 (one adj time) unique different exclusive unrepeated singular) near2 (output$4 messag$3 prompt$3 instruct$3) same authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:08
–	67	@ad<19990201 and (terminal device kiosk atm) same ((dynamic$5 custom$7 (one adj time) unique different exclusive unrepeated singular) near2 (output$4 messag$3 prompt$3 instruct$3) same authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:10
–	0	@ad<19990201 and ((terminal device kiosk atm) same (partial$3) near2 (output$4 messag$3 prompt$3 instruct$3) same authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:10
–	(5)	@ad<19990201 and ((partial$3) near2 (output$4 messag$3 prompt$3 instruct$3) same authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:52

C:\APPS\EAST\Workspaces\09_496065_personal_device_server_methods_for_establishing_trustworthy_conn